

Amendments to the Claims:

This listing of claims will replace all prior versions and listings of claims in the application:

Listing of Claims:

1. (Cancelled).
2. (Cancelled).
3. (Cancelled).
4. (Cancelled).
5. (Currently amended) An isolated agonist anti-trkC antibody comprising:
 - (a) **[[a]]** heavy chain CDRs comprising:
 - (i) a CDR1 of the formula GYTFTSYXaaXaaH (SEQ ID NO:16), wherein Xaa at position 8 is R or W, and Xaa at position 9 is I, L, R, or M;
 - (ii) a CDR2 of the formula EIYPSNXaaRTNYNEKFXaaS (SEQ ID NO:17), wherein Xaa at position 7 is A, T, S, or G; and Xaa at position 16 is K or E; and
 - (iii) a CDR3 of the formula KYYYGNXaaXaaRSWYFDV (SEQ ID NO:18), (a) a CDR1 of the formula RASESXaaDXaaYGISFXaaXaa (SEQ ID NO:19), wherein Xaa at position 6 is I or V; Xaa at position 8 is N or S; Xaa at position 14 is L or M; Xaa at position 15 is A, T, or N;
 - (b) a CDR2 of the formula AASNXaaGS (SEQ ID NO:20), wherein Xaa at position 5 is R, L, or Q; and
 - (c) a CDR3 of the formula QQSKXaaVPRT (SEQ ID NO:21), wherein Xaa at position 5 is T, A, S, or E;

wherein the agonist anti-trkC antibody is not an antibody comprising a light chain CDRs comprising a CDR1 region of SEQ ID NO:25, a CDR2 region of SEQ ID NO:26, and a CDR3 region of SEQ ID NO:27 wherein Xaa at position 7 is T or S; wherein Xaa at position 8 is R, Q, K, S, or Y; and

 - (b) **[[a]]** light chain CDRs comprising:

(i) a CDR1 of the formula RASESXaaDXaaYGISFXaaXaa (SEQ ID NO:19), wherein Xaa at position 6 is I or V; Xaa at position 8 is N or S; Xaa at position 14 is L or M; Xaa at position 15 is A, T, or N;

(ii) a CDR2 of the formula AASN~~Xaa~~GS (SEQ ID NO:20), wherein Xaa at position 5 is R, L, or Q; and

(iii) a CDR 3 of the formula QQSKXaaVPRT (SEQ ID NO:21), wherein Xaa at position 5 is T, A, S, or E;

wherein the agonist anti-trkC antibody is not an antibody comprising (a) a heavy chain CDRs comprising a CDR1 region of SEQ ID NO:22, a CDR2 region of SEQ ID NO:23, and a CDR3 region of SEQ ID NO:24; and (b) a light chain CDRs comprising a CDR1 region of SEQ ID NO:25, a CDR2 region of SEQ ID NO:26, and a CDR3 region of SEQ ID NO:27.

6. (Currently amended) The isolated agonist anti-trkC antibody of ~~any of claims 1-5~~ claim 5, wherein the agonist anti-trkC antibody binds human trkC.

7. (Previously presented) The isolated agonist anti-trkC antibody of claim 6, wherein the agonist anti-trkC antibody binds to human trkC with a K_D less than about 5 nM.

8. (Previously presented) The isolated agonist anti-trkC antibody of claim 6, wherein the agonist anti-trkC antibody further binds rodent trkC.

9. (Currently amended) The isolated agonist anti-trkC antibody of ~~any of claims 1-5~~ claim 5, wherein the agonist anti-trkC antibody is a monoclonal antibody.

10. (Currently amended) The isolated agonist anti-trkC antibody of ~~any of claims 1-5~~ claim 5, wherein the agonist anti-trkC antibody is a humanized antibody.

11. (Currently amended) The isolated agonist anti-trkC antibody of ~~any of claims 1-5~~ claim 5, wherein the agonist anti-trkC antibody comprises a heavy chain variable region comprising:

- (a) a CDR1 region of SEQ ID NO:4;
- (b) a CDR2 region of SEQ ID NO:5; and
- (c) a CDR3 region of SEQ ID NO:6.

12. (Previously presented) The isolated agonist anti-trkC antibody of claim 11, wherein the heavy chain variable region consists of the sequence of SEQ ID NO:1.

13. (Currently amended) The isolated agonist anti-trkC antibody of ~~any of claims 1-5~~ claim 5, wherein the agonist anti-trkC antibody comprises a light chain variable region comprising:

- (a) a CDR1 region of SEQ ID NO:7;
- (b) a CDR2 region of SEQ ID NO:8; and
- (c) a CDR3 region of SEQ ID NO:9.

14. (Previously presented) The isolated agonist anti-trkC antibody of claim 13, wherein the light chain variable region consists of the sequence of SEQ ID NO:2.

15. (Currently amended) An isolated agonist anti-trkC antibody of ~~any of claims 1-5~~ claim 5, wherein the agonist anti-trkC antibody comprises

- (a) a heavy chain variable region comprising:
 - (i) a CDR1 region of SEQ ID NO:4;
 - (ii) a CDR2 region of SEQ ID NO:5; and
 - (iii) a CDR3 region of SEQ ID NO:6; and
- (b) a light chain variable region comprising:
 - (i) a CDR1 region of SEQ ID NO:7;
 - (b) a CDR2 region of SEQ ID NO:8; and
 - (c) a CDR3 region of SEQ ID NO:9.

16. (Previously presented) The isolated agonist anti-trkC antibody of claim 15, wherein the heavy chain variable region consists of SEQ ID NO:1, and the light chain variable region consists of the sequence of SEQ ID NO:2.

17. (Previously presented) The isolated agonist anti-trkC antibody of claim 15, wherein the heavy chain consists of the sequence of SEQ ID NO:28, and the light chain variable region consists of the sequence of SEQ ID NO:29.

18. (Withdrawn) A nucleic acid encoding an agonist anti-trkC antibody of any of claims 1-17.

19. (Withdrawn) The nucleic acid of claim 18, wherein the nucleic acid comprises the sequence of SEQ ID NO:12 encoding the heavy chain variable region of the agonist anti-trkC antibody, and the sequence of SEQ ID NO:10 encoding the light chain variable region of the agonist anti-trkC antibody.

20. (Withdrawn) The nucleic acid of claim 19, wherein the nucleic acid comprises the sequence of SEQ ID NO:13 encoding the heavy chain of the agonist anti-trkC antibody, and the sequence of SEQ ID NO:11 encoding the light chain variable region of the agonist anti-trkC antibody.

21. (Withdrawn) A vector comprising the nucleic acid of claim 18.

22. (Withdrawn) A host cell comprising the nucleic acid of claim 18.

23. (Currently amended) A pharmaceutical composition comprising (a) an effective amount of the agonist anti-trkC antibody of ~~claim 1 or claim 15~~ claim 5 and (b) a pharmaceutical acceptable excipient.

24. (Currently amended) A kit comprising the agonist anti-trkC antibody of ~~claim 1 or claim 15~~ claim 5.

25. (Withdrawn) A method of making an agonist anti-trkC antibody, said method comprising expressing a polynucleotide encoding the agonist anti-trkC antibody of any of claims 1-17 in a host cell.

26. (Currently amended) An isolated polypeptide that binds to trkC, comprising:

(a) a CDR1 of the formula GYTFTSYXaaXaaH (SEQ ID NO:16), wherein Xaa at position 8 is R or W, and Xaa at position 9 is I, L, R, or M;

(b) a CDR2 of the formula EIYPSNXaaRTNYNEKFXaaS (SEQ ID NO:17), wherein Xaa at position 7 is A, T, S, or G; and Xaa at position 16 is K or E; and

(c) a CDR3 of the formula KYYYGNXaaXaaRSWYFDV (SEQ ID NO:18), wherein Xaa at position 7 is T or S; wherein Xaa at position 8 is R, Q, K, S, or Y; wherein the polypeptide is not a polypeptide comprising CDRs comprising a CDR1 region of SEQ ID NO:22, a CDR2 region of SEQ ID NO:23, and a CDR3 region of SEQ ID NO:24; and further comprising:

(d) a CDR4 of the formula RASESXaaDXaaYGISFXaaXaa (SEQ ID NO:19), wherein Xaa at position 6 is I or V; Xaa at position 8 is N or S; Xaa at position 14 is L or M; Xaa at position 15 is A, T, or N;

(e) a CDR5 of the formula AASNXaaGS (SEQ ID NO:20), wherein Xaa at position 5 is R, L, or Q; and

(f) a CDR6 of the formula QQSKXaaVPRT (SEQ ID NO:21), wherein Xaa at position 5 is T, A, S, or E;

wherein the polypeptide is not a polypeptide comprising CDRs comprising a CDR1 region of SEQ ID NO:25, a CDR2 region of SEQ ID NO:26, and a CDR3 region of SEQ ID NO:27.

27. (Cancelled).